

# Test Report

Report No.: CTT160831928EN

Date: Aug. 06, 2016

Page 1 of 2

Applicant:

Address:

The following merchandise was (were) submitted and identified by client as:

Sample Name: CANDLE SET

Item No.: 5166,3181

P/O No.: NO.57

Supplier:

Buyer: MKTO CATAL IMPORTACIONES S.L.


Sample Received Date: Aug. 01, 2016

Test Period: Aug. 01, 2016 to Aug. 06, 2016

Test Result(s): Please refer to next page(s).**Test Requested and Conclusion(s):**

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Submitted sample	Soot Release (BS EN 15426:2007)	PASS

Signed for and on Behalf of CTT



Yuhu / Lab supervisor

Consumer Testing Technology Co., Ltd.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at [www.cttlab.com](http://www.cttlab.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" or "m" means they are not accredited by CNAS or CMA, "s" means the item of subcontractor is not accredited by CNAS or CMA.

# Test Report

Report No.: CTT160831928EN

Date: Aug. 06, 2016

Page 2 of 2

## Test Result(s):

1. Soot Release (BS EN 15426:2007) <sup>s</sup>

Test Standard: BS EN 15426:2007 Candles -Specification for Sooting Behaviour

Number of sample(s) tested: 3 pieces of tealight candle

Initial Observation: No visible defects was found on all tested samples

Test Requirement: The average soot index from three tests (samples) shall be less than 1.0/hour, no individual sample shall exceed 2.0/hour

Tested Sample	1	2	3
Original candle diameter (mm)	Ø38	Ø38	Ø38
Original candle height (mm)	15	15	15
Net Candle weight (g)	12.8	12.8	12.8
Total measuring time, $t_m$ (hours)	3	3.67	3.67
Soot Index, Si	0.3	0.3	0.5
Average soot index per hour, $Si_h (=Si / t_m)$ <i>Note : Acceptance criteria : &lt; 2.0/hour</i>	0.10	0.08	0.14
Average Soot Index from 3 samples <i>Note : Acceptance criteria : &lt; 1.0/hour</i>	0.11		

## Photo of Sample:



\*\*\*End of Report\*\*\*

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at [www.cttlab.com](http://www.cttlab.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" or "m" means they are not accredited by CNAS or CMA, "s" means the item of subcontractor is not accredited by CNAS or CMA.